



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/781,783	02/20/2004	Hiroki Ooi	1075.1251	4549

21171 7590 09/13/2007
STAAS & HALSEY LLP
SUITE 700
1201 NEW YORK AVENUE, N.W.
WASHINGTON, DC 20005

EXAMINER

KIM, DAVID S

ART UNIT	PAPER NUMBER
----------	--------------

2613

MAIL DATE	DELIVERY MODE
-----------	---------------

09/13/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/781,783

Applicant(s)

OOI ET AL.

Examiner

David S. Kim

Art Unit

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 August 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-13 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2613

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. **Claims 1-13** are rejected under 35 U.S.C. 103(a) as being unpatentable over Tager et al. (U.S. Patent Application Publication No. US 2004/0208608 A1, hereinafter "Tager") in view of Ramaswami et al. (*Optical Networks: A Practical Perspective*, 2nd ed., hereinafter "Ramaswami").

Regarding claim 1, Tager discloses:

A wavelength division multiplexing optical repeating transmission method (Fig. 4) for performing repeating transmission of a wavelength multiplexed optical signal along an optical transmission line interconnecting a terminal apparatus for transmission (115) and a terminal apparatus for reception (116) and having a plurality of divisional repeating intervals into which the optical transmission line is divided by a plurality of repeating apparatuses (117), comprising steps executed by each of said repeating apparatuses disposed at end points of the divisional repeating intervals, the steps including:

a first dispersion compensation step (note the dispersion compensation previous to each site 117 that can be obviously embodied by DCM 113A of Fig. 2B) of compensating for a dispersion included in the wavelength multiplexed optical signal having propagated in the divisional repeating interval on the

Art Unit: 2613

terminal apparatus side transmission so that a remaining dispersion amount is within a tolerance set in advance;

an optical add/drop multiplexing step (implied by switching site 117 that can be obviously embodied by add/drop node 109 of Fig. 2B) of performing an optical add/drop multiplexing for the wavelength multiplexed optical signal for which the dispersion compensation has been performed at the first dispersion compensation step; and

a second dispersion compensation step (note the dispersion compensation after each site 117 that can be obviously embodied by DCM 113B of Fig. 2B) of performing a dispersion compensation with an additional compensation (notice the additional compensation past the zero line after each 117 site) amount to the compensation amount of the first dispersion compensation step for the wavelength multiplexed optical signal for which the optical add/drop multiplexing has been performed at the optical add/drop multiplexing step;

the ratio of the additional compensation amount at the second dispersion compensation step to the sum of the dispersion compensation amounts at the first and second dispersion compensation steps being set so as to gradually vary together with the transmission distance (e.g., Fig. 4, the over compensation amount at each site 117 decreases with increasing distance and the sum remains constant, thus, the ratio of (decreasing value/constant) gradually decreases with the distance) from said terminal apparatus transmission at which said repeating apparatus is disposed on said light transmission line (Applicant's ratio can be visually noticed by the dispersion map of Applicant's Fig. 20, which is similar to the dispersion map of Tager's Fig. 4).

Tager does not expressly disclose:

the optical add/drop multiplexing step of performing an optical add/drop multiplexing **for each wavelength components of the wavelength multiplexed optical signal** for which the dispersion compensation has been performed at the first dispersion compensation step.

However, performing optical add/drop multiplexing *for each wavelength component* of a wavelength multiplexed optical signal is an extremely common practice in the art, as shown by

Art Unit: 2613

Ramaswami (Fig. 7.5(a)). At the time the invention was made, it would have been obvious to one of ordinary skill in the art to perform such optical add/drop multiplexing in the method of Tager. One of ordinary skill in the art would have been motivated to do this since it provides some advantages over other means for optical add/drop multiplexing, such as no channel constraints, minimal wavelength planning, and possible lower costs for large drops (Ramaswami, Table 7.1, "Parallel").

Tager does not expressly disclose:

said additional compensation amount is a predetermined constant times a total dispersion amount occurred in the divisional repeating intervals on the terminal apparatus side for transmission.

However, analysis of the dispersion map of Tager's Fig. 4 shows that one may describe the dispersion map of Tager's Fig. 4 in the same way. That is, notice the additional compensation past the zero line for each 117 site in Tager. The amount of additional compensation past the zero increases at a constant rate as there is an increase in total dispersion amount occurred in the divisional repeating intervals on the terminal apparatus side for transmission. One may describe this amount of additional compensation with any number of suitable mathematical descriptions. Describing it as "said additional compensation amount is a predetermined constant times a total dispersion amount occurred in the divisional repeating intervals on the terminal apparatus side for transmission" is as suitable as any other mathematical description that adequately captures the amount of additional compensation. This argument is made with the recognition that, even though the prior art of record may lack the same express mathematical description as that disclosed by a claim, the mathematical description *itself* does not present an inventive limitation unless the underlying *subject matter* described by the mathematical description presents an inventive limitation. Since the *subject matter* of Tager is describable by the mathematical description of claim 1, it follows that the mathematical description *itself* of claim 1 does not present an inventive limitation.

Regarding claim 2, Tager in view of Ramaswami does not expressly disclose:

The wavelength division multiplexing optical repeating transmission method as claimed in claim 1, wherein a predetermined proportion for performing the dispersion compensation process by the over

Art Unit: 2613

compensation amount at the second dispersion compensation step is set so as to gradually *increase* together with the transmission distance from said terminal apparatus for transmission at which of said repeating apparatus is disposed on said light transmission line.

Rather, Tager shows a gradual decrease in Fig. 4. That is, there is less “over” compensation as the distance increases. However, it is a known and obvious technique to simply flip dispersion maps. Tager suggests such obviousness by mentioning over-compensation and under-compensation (end of paragraph [0032]). Accordingly, an obvious variation would include a gradual *increase*.

Regarding claim 3, Tager in view of Ramaswami discloses:

The wavelength division multiplexing optical repeating transmission method as claimed in claim 1 wherein a predetermined proportion for performing the dispersion compensation process of the over compensation amount at the second dispersion compensation step is set so as to gradually decrease together with the transmission distance from said terminal apparatus for transmission at which of said repeating apparatus is disposed on said light transmission line (Fig. 4, there is less “over” compensation as the distance increases).

Regarding claim 4, Tager in view of Ramaswami discloses:

The wavelength division multiplexing optical repeating transmission method as claimed in claim 1, further comprising a residual dispersion compensation step executed by each said repeating apparatus of compensating, where a residual dispersion appears in an optical signal of each wavelength before and after the optical add/drop multiplexing process at the optical add/drop multiplexing step, for the residual dispersion (suggested by adjustable and tunable dispersion compensators of paragraphs [0033-0034]).

Regarding claim 5, Tager in view of Ramaswami discloses:

The wavelength division multiplexing optical repeating transmission method as claimed in claim 1, further comprising transmission side dispersion compensation step of performing a dispersion compensation (Fig. 4, notice initial dispersion compensation adjacent to 115) which satisfies a transmission condition for a wavelength multiplexed optical signal to be transmitted in said terminal apparatus for transmission (this transmission condition is so broad as to include any number of suitable conditions, such as the amount or sign of dispersion compensation).

Regarding claim 6, Tager in view of Ramaswami does not expressly disclose:

The wavelength division multiplexing optical repeating transmission method as claimed in claim 5, wherein the transmission condition relates to at least one of the kind of fiber, the transmission distance and the bit rate.

However, consider the example transmission condition provided in the treatment of claim 5 above: the amount or sign of dispersion compensation. Different kinds of fiber provide different amounts or signs of dispersion, so the transmission condition discussed can obviously be related to at least the kind of fiber.

Regarding claims 7-9, claims 7, 8, and 9 are apparatus claims that introduce limitations that correspond to the limitations introduced by method claims 1, 2, and 3, respectively. Therefore, the recited steps in method claims 1-3 read on the corresponding means in apparatus claims 7-9.

Regarding claim 10 and 11, Tager in view of Ramaswami does not expressly disclose the variable dispersion compensation apparatus of claim 10 and the dispersion slope compensation device of claim 11. However, both types of apparatuses are commonly known in the art. At the time the invention was made, it would have been obvious to one of ordinary skill in the art to provide an obvious variation of the apparatus of Tager in view of Ramaswami by implementing these types of apparatuses. One of ordinary skill in the art would have been motivated to do this since they are generally known to provide additional flexibility and precision in compensating dispersion.

Regarding claim 12, claim 12 is an apparatus claim that introduces limitations that correspond to the limitations introduced by method claim 4. Therefore, the recited steps in method claim 4 read on the corresponding means in apparatus claim 12.

Regarding claim 13, claim 13 is an apparatus claim that introduces limitations that correspond to the limitations introduced by method claim 1. Therefore, the recited steps in method claim 1 read on the corresponding means in apparatus claim 13.

Response to Arguments

4. Applicant's arguments, filed on 17 August 2007, with respect to the claims have been considered but are moot in view of the new ground(s) of rejection. In particular, notice the application of newly

Art Unit: 2613

discovered teachings from Ramaswami to address Applicant's concerns regarding optical add/drop multiplexing (REMARKS, p. 6, middle paragraph). Additionally, notice the re-articulation of the application of Tager to address Applicant's concerns about "the prior art is not enabling" (REMARKS, p. 6-7, bridging paragraph) and Applicant's concerns about rejecting the claims "based on the Applicant's disclosure" (REMARKS, p. 7, 1st full paragraph).

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David S. Kim whose telephone number is 571-272-3033. The examiner can normally be reached on Mon.-Fri. 9 AM to 5 PM (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth N. Vanderpuye can be reached on 571-272-3078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DSK



KENNETH VANDERPUYE
SUPERVISORY PATENT EXAMINER